

Applicant(s) Application No. 10/522.031 **BEN-GIGI, ZION** Notice of Allowability Examiner **Art Unit** LEE D. WILSON -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to <u>1/21/05</u>. 2. The allowed claim(s) is/are 1-4 and 6-9. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _ (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413). Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 1/21/05 8. Examiner's Statement of Reasons for Allowance 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 9. Other _ EED.WIIS **PRIMARY EXAMINER**

Application/Control Number: 10/522,031 Page 2

Art Unit: 3723

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

a. The abstract has been inserted - - (New Abstract) - - A bar clamp (10) comprising a bar (16), a first clamping jaw (12) mounted on the bar, a second clamping jaw (14) sliding mounted on the bar, at least one of the clamping jaws (12, 14) comprising a double-faced clamping jaw (I2A, 12B, I4A,14B) comprising one face facing one end of the bar and another face facing an opposite end of the bar, wherein centers of both faces of the double-faced clamping jaw are positioned at substantially equal heights from the bar, and a jaw advancing mechanism (20) coupled to the second clamping jaw (14) and adapted to move the second clamping jaw (14) selectively towards or away from the first clamping jaw (12). - - on a separate sheet of paper and inserted on this paper

REASONS FOR ALLOWANCE

- 1. The following is an examiner's statement of reasons for allowance:
 - a. The prior art does not discloses anticipate nor render obvious the instant invention having a clamp comprising a bar; a first clamping jaw mounted on the bar; a second sliding clamp with double faced jaws facing in opposite ends of

Application/Control Number: 10/522,031

Art Unit: 3723

said bar, a pair of triggers, and a selector gripper in combination with the other claimed limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LEE D. WILSON whose telephone number is 571-272-4499. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JOSEPH HAIL can be reached on 571-272-4485. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LDW

AUGUST 24, 2006

LEE D. WILSON PRIMARY EXAMINER